




**A7522GN CERATHERM C100 | BUILT-
IN BATH & SHOWER MIXER
163X83X163 MM IN SILVER STORM
FINISH, KIT 1 REQUIRED, 23.0 L/MIN
(3 BAR) | THERMOSTATIC FUNCTION,
WATER & ENERGY SAVINGS, SAFETY
STOP, PVD TECHNOLOGY**

SKU: A7522GN

PRODUCT DESCRIPTION

A7522GN Ceratherm C100 | Built-in bath & shower mixer 163x83x163 mm in silver storm finish, Kit 1 required, 23.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Safety stop, PVD technology

<https://bramak.com.tr/product/a7522gn-ceratherm-c100-built-in-bath-shower-mixer-163x83x163-mm-in-silver-storm-finish-kit-1-required-23-0-l-min-3-bar-thermostatic-function-water-energy-savings-safety-stop-pvd-technol/>



General information

Product type: Bath & shower mixers

Sub product type: Built-in bath & shower mixer

Brand: Ideal Standard

Suite name: Ceratherm C100

Designer: Ideal Standard

Colour: GN - Silver Storm

Surface finish effect: satin

A7522GN Ceratherm C100 | Built-in bath & shower mixer 163x83x163 mm in silver storm finish, Kit 1 required, 23.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Safety stop, PVD technology

<https://bramak.com.tr/product/a7522gn-ceratherm-c100-built-in-bath-shower-mixer-163x83x163-mm-in-silver-storm-finish-kit-1-required-23-0-l-min-3-bar-thermostatic-function-water-energy-savings-safety-stop-pvd-technol/>

Height (mm): 163

Width (mm): 163

Length / Projection (mm): 83 - 105

Fixing method: Kit 1 required

Net weight (kg): 1.74

EAN code: 4015413350471

Product specifications

Amount of escutcheon(s): 1

Amount of handles: 1

Colour code: GN

Colour description: silver storm

Cool Body technology: No

Flushing time adjustable: No

Handle position: Front

Material: Metal

Material of escutcheon(s): Metal

Material of handle: Metal

Material quality: Brass

Max. flow rate at 3 bar (l): 23.0

Max. flow rate at 3 bar (l) for all

outlets:

23/22

A7522GN Ceratherm C100 | Built-in bath & shower mixer 163x83x163 mm in silver storm finish, Kit 1 required, 23.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Safety stop, PVD technology

<https://bramak.com.tr/product/a7522gn-ceratherm-c100-built-in-bath-shower-mixer-163x83x163-mm-in-silver-storm-finish-kit-1-required-23-0-l-min-3-bar-thermostatic-function-water-energy-savings-safety-stop-pvd-technol/>

ADDITIONAL INFORMATION

A7522GN Ceratherm C100 | Built-in bath & shower mixer 163x83x163 mm in silver storm finish, Kit 1 required, 23.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Safety stop, PVD technology

<https://bramak.com.tr/product/a7522gn-ceratherm-c100-built-in-bath-shower-mixer-163x83x163-mm-in-silver-storm-finish-kit-1-required-23-0-l-min-3-bar-thermostatic-function-water-energy-savings-safety-stop-pvd-technol/>

A7522GN Ceratherm C100 | Built-in bath & shower mixer 163x83x163 mm in silver storm finish, Kit 1 required, 23.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Safety stop, PVD technology

<https://bramak.com.tr/product/a7522gn-ceratherm-c100-built-in-bath-shower-mixer-163x83x163-mm-in-silver-storm-finish-kit-1-required-23-0-l-min-3-bar-thermostatic-function-water-energy-savings-safety-stop-pvd-technol/>

A7522GN Ceratherm C100 | Built-in bath & shower mixer 163x83x163 mm in silver storm finish, Kit 1 required, 23.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Safety stop, PVD technology

<https://bramak.com.tr/product/a7522gn-ceratherm-c100-built-in-bath-shower-mixer-163x83x163-mm-in-silver-storm-finish-kit-1-required-23-0-l-min-3-bar-thermostatic-function-water-energy-savings-safety-stop-pvd-technol/>