



MEGAİZO PU 15 S403

Polyurethane based, lasting, UV-resistant, elastic and ready-to-use waterproofing material with high water vapor permeability, which can be applied prior to or as top coating material.

SKU: 054.S403

PRODUCT DESCRIPTION

Product Advantages

- 900 % elastic.
- ANTIROOT certified for resistance to plant roots.
 - Poses high crack bridging capability.
 - Fit for light pedestrian traffic
 - UV-resistant.
 - Water vapor permeability.
- Preserves its mechanical properties within the temperature range between -30°C and +90°C.
 - Repaired rapidly and easily, locally.
- Provides high strength against acidic and alkali solutions (10 %), detergents, seawater and oils.
 - Ensures seamless waterproofing for application surfaces.
 - Highly adhesive.
- A ready-to-use product which is applied easily and rapidly.

Usage Areas

- Megalzo PU 15 is used for waterproofing purposes and the preservation of polyurethane foam insulation in such wet spaces as bathrooms, kitchens and balconies, such surfaces that are constantly in contact with water, concrete sheer surfaces, on tops of parking garages, roofs, green roofing systems, swimming pools, flower beds and seeding beds, water storage and distribution canals, such concrete structures as bridges and tunnels and metal surfaces. It is suitable for use on horizontal and vertical surfaces of indoors and outdoors spaces.
-

Technical Informations

- **Reference Standards****a. Certifications / Standards**
 - ANTIROOT
-

Application Procedure

- **Reference Standards****a. Certifications / Standards**
 - ANTIROOT

ADDITIONAL INFORMATION

